



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

#	Requirement	Relevant	Successes	Failures	Score
1	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
Code snapshots of some successful elements					
<ul style="list-style-type: none"><code><h1 class="elementor-heading-title elementor-size-default " id="trusted-provider-of-it-support-in-washington-dc-metro-area">Trusted provider of <br role="none"> IT Support in Washington DC Metro area </h1></code>					
2	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	27	0	100%
3	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
4	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
5	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
6	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

7	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
8	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
9	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	3	0	100%

Code snapshots of some successful elements

- `<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16062576469346108-1" aria-haspopup="true" aria-controls="sm-16062576469346108-2" aria-expanded="false" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" d...`
- `S...`
- `O...`

10	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	3	0	100%
----	--	-----	---	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

Code snapshots of some successful elements

- `<nav role="navigation" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-none" data-acsb-main-menu="true" aria-label="Main Menu"><ul id="menu-1-2f848c4" class="elementor-nav-menu" data-smar...`
- `<nav role="navigation" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" aria-label="Page Menu"><ul id="menu-1-285bd5c3" class="elementor-nav-menu sm-vertical" data-smartmenus-id="16062...`
- `<nav role="navigation" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" aria-label="Page Menu"><ul id="menu-1-454ddf38" class="elementor-nav-menu sm-vertical" data-smartmenus-id="16062...`

11	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	3	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

- `<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16062576469346108-1" aria-haspopup="true" aria-controls="sm-16062576469346108-2" aria-expanded="false" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" d...`
- `S...`
- `O...`

12	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality.	No	0	0	-
----	--	----	---	---	---



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

13	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
14	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
15	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
16	Making use of an accessibility interface helps to ensure that visually impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
17	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	4	0	100%

Code snapshots of some successful elements

- `<div class="elementor-element elementor-element-2c2f7a68 elementor-widget elementor-widget-text-editor " data-id="2c2f7a68" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-...`
- `<div class="elementor-element elementor-element-6a6adab0 elementor-widget elementor-widget-text-editor " data-id="6a6adab0" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-...`



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

- `<div class="elementor-element elementor-element-b1c42ba elementor-widget elementor-widget-text-editor " data-id="b1c42ba" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-co...`
- `<div class="elementor-element elementor-element-0f9d0e7 elementor-widget elementor-widget-text-editor " data-id="0f9d0e7" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-co...`

18	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
19	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
20	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
21	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
22	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
23	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	38	0	100%



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

Code snapshots of some successful elements

- ` Washington dc it s...`
- `Blog`
- `Contact Us`
- `VoIP`
- `Cloud`
- `Data Backup`
- `Virtual CIO`
- `read more`
- ` No...`
- `Zoom Rolls Out Encryption for All Users`

24	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	2	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

- `Privacy Policy<span data-="true" " aria-hidd...`



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

- `Terms of ServiceNew Window`

25	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	8	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

- `<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16062576469346108-1" aria-haspopup="true" aria-controls="sm-16062576469346108-2" aria-expanded="false" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" d...`
- `S...`
- `O...`
- `Contact for support`



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

- `<div class="elementor-element elementor-element-2c2f7a68 elementor-widget elementor-widget-text-editor " data-id="2c2f7a68" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-...`
- `<div class="elementor-element elementor-element-6a6adab0 elementor-widget elementor-widget-text-editor " data-id="6a6adab0" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-...`
- `<div class="elementor-element elementor-element-b1c42ba elementor-widget elementor-widget-text-editor " data-id="b1c42ba" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-co...`
- `<div class="elementor-element elementor-element-0f9d0e7 elementor-widget elementor-widget-text-editor " data-id="0f9d0e7" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-co...`

26	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	8	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

- `<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16062576469346108-1" aria-haspopup="true" aria-controls="sm-16062576469346108-2" aria-expanded="false" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" d...`
- `S...`
- `O...`
- `Contact for support`



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

- `<div class="elementor-element elementor-element-2c2f7a68 elementor-widget elementor-widget-text-editor " data-id="2c2f7a68" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-...`
- `<div class="elementor-element elementor-element-6a6adab0 elementor-widget elementor-widget-text-editor " data-id="6a6adab0" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-...`
- `<div class="elementor-element elementor-element-b1c42ba elementor-widget elementor-widget-text-editor " data-id="b1c42ba" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-co...`
- `<div class="elementor-element elementor-element-0f9d0e7 elementor-widget elementor-widget-text-editor " data-id="0f9d0e7" data-element_type="widget" data-widget_type="text-editor.default" tabindex="0" role="button"> <div class="elementor-widget-co...`

27	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
28	aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	6	0	100%

Code snapshots of some successful elements

- `<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16062576469346108-2" role="group" aria-hidden="true" aria-labelledby="sm-16062576469346108-1" aria-expanded="false" data-acsb-menu="ul" data-acsb-dropdown="atb23w0ypes" ><li class...`
- `<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16062576469346108-4" role="group" aria-hidden="true" aria-labelledby="sm-16062576469346108-3" aria-expanded="false" data-acsb-menu="ul" data-acsb-dropdown="a8978oivk3sa" ><li clas...`
- `<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16062576469346108-6" role="group" aria-hidden="true" aria-labelledby="sm-16062576469346108-5" aria-expanded="false" data-acsb-menu="ul" data-acsb-dropdown="aki9ekif5sxn" ><li clas...`



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

- `<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-1606257646942512-2" role="group" aria-hidden="true" aria-labelledby="sm-1606257646942512-1" aria-expanded="false" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item...`
- `<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-1606257646942512-4" role="group" aria-hidden="true" aria-labelledby="sm-1606257646942512-3" aria-expanded="false" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item...`
- `<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-1606257646942512-6" role="group" aria-hidden="true" aria-labelledby="sm-1606257646942512-5" aria-expanded="false" ><li class="menu-item menu-item-type-custom menu-item-object-custom menu-item-...`

29	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
30	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
31	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0	-
32	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
33	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

34	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

- <title >ETTE – Your Washington, DC Trusted IT Advisor – Keeping the Community Up to Speed since 2002</title>

35	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

- <html class="acsb-light-contrast" lang="en-US"><head aria-hidden="true" ><meta name="acsbClient" content="true" ><meta content="https://ettebiz.com" name="acsbAceBase" ><meta content="https://acsbase.com/apps/ace/" name="aceEndpoint" ><base href="ht...

36	The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

- <meta name="viewport" content="width=device-width, initial-scale=1" >

37	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	2	0	100%
----	---	-----	---	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

Code snapshots of some successful elements

- `<div class="elementor-widget-wrap" data-acsb-main="true" role="main"> <div class="elementor-element elementor-element-67e0294e elementor-widget elementor-widget-heading" data-id="67e0294e" data-element_type="widget" data-widget_type="heading.default"...`
- `<div data-elementor-type="footer" data-elementor-id="1862" class="elementor elementor-1862 elementor-location-footer" data-elementor-settings="" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <div class="elementor-section-wrap...`

38	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
39	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
40	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
41	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	Pass	-	100%

Code snapshots of some successful elements

- ``

42	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	6	0	100%
----	--	-----	---	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

Code snapshots of some successful elements

- `<figure class="elementor-image-box-img" role="none">Link to ETTE's Facebook pageLink to ETTE's Twitter pageLink to ETTE's LinkedIn page<img src="data:image/...`

43	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	No	0	0	-
44	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-



WCAG 2.1 AA Level Web Accessibility Audit

Website: ettebiz.com | Verdict : Compliant! | Date: November 24, 2020

45	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
46	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
47	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
48	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
49	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	No	0	0	-